

Suzuki Sling-Shot 125cc

Overview

The Suzuki Sling-Shot Plus offers a complete package in terms of Style, Comfort, Performance and Practicality – all combined in a 125cc bike. It addresses the customer's need for a bike that is as frugal on fuel as a 100cc bike and yet has the looks to match a 150cc premium bike. The product is available at a price that not only makes it affordable but also meets all requirements.

Inspired by its bigger siblings from the GSX-R series, the Suzuki Sling-Shot Plus boasts of sharp edgy head lamps, stylishly designed visor, an all-new front fender design and a convenient gear position indicator for ease in riding in city traffic. The newly designed sturdy upswept frame constructed with a longer swingarm coupled with an adjustable rear suspension and a race inspired light weight alloy provide the Suzuki Sling-Shot Plus with the perfect balance and agility for varied road conditions without compromising on comfort and ergonomics.

Specifications

Engine	124 cc, Air-cooled, 4-stroke, 1 cylinder, SOHC
Bore x Stroke	53.5 mm x 55.2 mm
Compression Ratio	9.6:1
Fuel System	Suzuki Fuel Injection
Starter	Kick / Electric start
Lubrication	Wet sump
Transmission	5-speed (1 down – 4up)
Suspension Front	Telescopic, Coil Spring, Oil Damped
Suspension Rear	Swing-arm, Coil Spring, Oil Damped
Brakes Front	Mechanical, Leading Trailing, Drum type
Brakes Rear	Mechanical, Leading Trailing, Drum type
Tires Front	2.75 -18 42P
Tires Rear	3.00 -18 52P
Fuel Tank Capacity	12.0 L
Ignition	CDI
Dimensions and Curb Weight	2,035 mm
Overall Length	770 mm

Overall Width	785mm (30.9in)
Ground Clearance	160 mm
Kerb Mass	128







